

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2009

Revision: 07.12.2009

### 1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** 2.20 ZWALUW ROOFPLAST®
- **Article number:** B01
- **Application of the substance / the preparation** Bitumen sealing
- **Manufacturer/Supplier:**  
DEN BRAVEN SEALANTS BV  
Denariusstraat 11  
4903 RC Oosterhout  
Netherlands  
Tel: +31 (0)162-491000  
Fax: +31 (0)162-421217  
E-mail: info@denbraven.nl  
Internet: www.denbraven.nl
- **Further information obtainable from:**  
Product safety department.  
info@denbraven.nl
- **Information in case of emergency:**  
info@denbraven.nl  
Tel.: +31 (0)162-491000






### 2 Hazards identification

- **Hazard description:** Not applicable.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
R 10 Flammable.  
R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R 67 Vapours may cause drowsiness and dizziness.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

### 3 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64742-82-1 EINECS: 265-185-4	Naphtha (petroleum), hydrodesulfurized heavy  Xn,  N; R 10-51/53-65-66-67	10-30%
CAS: 8030-78-2 EINECS: 232-447-5	Quaternary ammonium compounds, trimethyltallow alkyl, chlorides  C,  Xn,  N; R 22-34-50	≤1.0%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.

(Contd. on page 2)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2009

Revision: 07.12.2009

**Trade name: 2.20 ZWALUW ROOFPLAST®**

(Contd. of page 1)

- **After swallowing:** If symptoms persist consult doctor.

## 5 Fire-fighting measures

- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**
  - Do not allow product to reach sewage system or any water course.
  - Inform respective authorities in case of seepage into water course or sewage system.
  - Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  - Ensure adequate ventilation.
  - Do not flush with water or aqueous cleansing agents

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:**
  - Ensure good ventilation/exhaustion at the workplace.
  - Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:**
  - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**
  - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 3)



## Safety Data Sheet

### according to 1907/2006/EC, Article 31

Printing date 07.12.2009

Revision: 07.12.2009

**Trade name: 2.20 ZWALUW ROOFPLAST®**

(Contd. of page 2)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **General Information**

<b>Form:</b>	Pasty
<b>Colour:</b>	Black
<b>Odour:</b>	Characteristic

- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	160°C

- **Flash point:** 21 - 55°C

- **Ignition temperature:** 235°C

- **Self-igniting:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

- **Explosion limits:**

<b>Lower:</b>	0.7 Vol %
<b>Upper:</b>	7.0 Vol %

- **Vapour pressure:** Undetermined.

- **Density at 20°C:** 1.3 g/cm<sup>3</sup>

- **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

- **pH-value:** Undetermined.

- **Solvent content:**

<b>VOC (EC)</b>	18.00 %
<b>VOC (EC)</b>	234.0 g/l

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 4)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2009

Revision: 07.12.2009

Trade name: 2.20 ZWALUW ROOFPLAST®

(Contd. of page 3)

- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

**64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy**

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>2000 mg/kg (rat)
--------	------	-------------------

- **Primary irritant effect:**

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

### 12 Ecological information

- **Ecotoxicological effects:**

- **Remark:** Harmful to fish

- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.  
 Harmful to aquatic organisms

### 13 Disposal considerations

- **Product:**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 04 09	waste adhesives and sealants containing organic solvents or other dangerous substances
----------	----------------------------------------------------------------------------------------

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.

- **Danger code (Kemler):** 30

- **UN-Number:** 3295


- **Packaging group:** III

- **Hazard label:** 3

- **Description of goods:** 3295 HYDROCARBONS, LIQUID, N.O.S.

- **Limited quantities (LQ)** LQ7

(Contd. on page 5)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2009

Revision: 07.12.2009

Trade name: 2.20 ZWALUW ROOFPLAST®

(Contd. of page 4)

· **Remarks:** Is not subject to the ADR/RID according to 2.2.3.1.5 ( $\leq 450$  ltr)

· **Maritime transport IMDG:**



· **IMDG Class:** 3  
 · **UN Number:** 3295  
 · **Label** 3  
 · **Packaging group:** III  
 · **EMS Number:** F-E,S-E  
 · **Marine pollutant:** No  
 · **Proper shipping name:** HYDROCARBONS, LIQUID, N.O.S.  
 · **Remarks:** Meets provision 2.3.2.5 of IMDG.  
 In containers <30 ltr no subject to IMDG-chapters 4.1, 5.2 and 6.1

· **Air transport ICAO-TI and IATA-DGR:**



· **ICAO/IATA Class:** 3  
 · **UN/ID Number:** 3295  
 · **Label** 3  
 · **Packaging group:** III  
 · **Proper shipping name:** HYDROCARBONS, LIQUID, N.O.S.

### 15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Risk phrases:**

10 Flammable.  
 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

2 Keep out of the reach of children.  
 16 Keep away from sources of ignition - No smoking.  
 46 If swallowed, seek medical advice immediately and show this container or label.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

10 Flammable.  
 22 Harmful if swallowed.  
 34 Causes burns.  
 50 Very toxic to aquatic organisms.  
 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 65 Harmful: may cause lung damage if swallowed.

(Contd. on page 6)



**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.12.2009

Revision: 07.12.2009

**Trade name: 2.20 ZWALUW ROOFPLAST®**

- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

(Contd. of page 5)

- **Department issuing MSDS:** Product safety department.
- **Contact:** Mr. C.J.A. Timmermans
- **\* Data compared to the previous version altered.**

GB